



**VIVID RGB INSTALLATION
WITH LTECH-512 +LTECH-854**

NOTES:

1. DIAGRAM REFER TO SINGLE FEED MAX. RUN LENGTH. LONGER FIXTURES MAY REQUIRE 24V POWER SUPPLY CONNECTED TO BOTH ENDS.
2. CHECK NEON FLEX SPECIFICATION SHEETS FOR MAXIMUM RUN LENGTHS OF YOUR RGB FIXTURE MODEL AND COLOR.
3. DIAGRAM FOR WIRE CONNECTION REFERENCE ONLY. FOR TOTAL POWER AND NUMBER OF CHANNELS REQUIRED ON YOUR APPLICATION, CHECK SPECIFICATION SHEETS OF EACH PRODUCT.
4. DIAGRAM SHOWS TYPICAL WIRE AND MAXIMUM DISTANCES. FOR EXACT DIMENSIONING, CONSULT SPECIFICATION OF EACH PRODUCT SEPARATELY.

BOM:

1. 24V POWER SUPPLY
2. NEON FLEX RGB (S160, S270, WAVE, WAVE 320)
3. LTECH LT-512
4. LTECH LT-854-5A

Product:

NEON FLEX RGB (S160, S270, WAVE, WAVE 320)

Project:

SUPPORT WIRING DIAGRAMS

Title:

NEON FLEX RGB - LT-512 + LT-854

Date: OCT 29, 2018

Drawn: DANIEL

Scale: NTS **Rev:** 01